

Name : **CODILAN, ROSALINDA**
PID : CDO123160
Age : 74 Sex : FEMALE
Source : REFERRAL (SENIOR)
Clinician : N/A

Lab. Number : **2649021356**
Birthdate : 01-30-1952
Dispatch : ONLINE/PICK-UP
Page : 1 of 1

Date Requested : 05-02-2026 11:43 AM

Received : 05-02-2026 12:26 PM

TEST	Result	(SI Unit)	Result	(Conv. Unit)
	Reference Interval		Reference Interval	
CHEMISTRY				
Ammonia (NH3)	55.53	umol/L	94.62	ug/dL
	18.00~72.00		30.67~122.69	

Comment/s:

Method: Enzymatic (Glutamate Dehydrogenase)

NOTE : *PAB Accredited test/s.

The results are best interpreted by a healthcare professional and are not intended to be used as the sole means for diagnosis or management.

Specimen rechecked, result/s verified.

CH: REYNOSO, MARIA CHRISTINA T.
Lic. #0047365

SYSTEM VALIDATED

MARIA LOURDES E. PINEDA-SANTOS, MD, FPSP
Lic. #0078301

REGISTERED MEDICAL TECHNOLOGIST

QUALITY CONTROL

PATHOLOGIST

** Report Electronically Signed Out **

HPD